

5/2/2012

PRODUCT RELIABILITY REPORT FOR

DS18S20, Rev C4

Maxim Integrated Products

4401 South Beltwood Parkway Dallas, TX 75244-3292

Prepared by:

Don Lipps Manager, Reliability Engineering Maxim Integrated Products 4401 South Beltwood Pkwy. Dallas, TX 75244-3292 Email: don.lipps@maxim-ic.com ph: 972-371-3739

Conclusion:

The following qualification successfully meets the quality and reliability standards required of all Maxim products:

```
DS18S20, Rev C4
```

In addition, Maxim's continuous reliability monitor program ensures that all outgoing product will continue to meet Maxim's quality and reliability standards. The current status of the reliability monitor program can be viewed at http://www.maxim-ic.com/TechSupport /dsreliability.html.

Device Description:

A description of this device can be found in the product data sheet. You can find the product data sheet at http://dbserv.maxim-ic.com/l_datasheet3.cfm.

Reliability Derating:

The Arrhenius model will be used to determine the acceleration factor for failure mechanisms that are temperature accelerated.

AfT = exp($(Ea/k)^*(1/Tu - 1/Ts)$) = tu/ts AfT = Acceleration factor due to Temperature tu = Time at use temperature (e.g. 55°C) ts = Time at stress temperature (e.g. 125°C) k = Boltzmann's Constant (8.617 x 10-5 eV/°K) Tu = Temperature at Use (°K) Ts = Temperature at Stress (°K) Ea = Activation Energy (e.g. 0.7 ev)

The activation energy of the failure mechanism is derived from either internal studies or industry accepted standards, or activation energy of 0.7ev will be used whenever actual failure mechanisms or their activation energies are unknown. All deratings will be done from the stress ambient temperature to the use ambient temperature.

An exponential model will be used to determine the acceleration factor for failure mechanisms, which are voltage accelerated.

AfV = exp(B*(Vs - Vu)) AfV = Acceleration factor due to Voltage Vs = Stress Voltage (e.g. 7.0 volts) Vu = Maximum Operating Voltage (e.g. 5.5 volts) B = Constant related to failure mechanism type (e.g. 1.0, 2.4, 2.7, etc.)

The Constant, B, related to the failure mechanism is derived from either internal studies or industry accepted standards, or a B of 1.0 will be used whenever actual failure mechanisms or their B are unknown. All deratings will be done from the stress voltage to the maximum operating voltage. Failure rate data from the operating life test is reported using a Chi-Squared statistical model at the 60% or 90% confidence level (Cf).

The failure rate, Fr, is related to the acceleration during life test by:

Fr = X/(ts * AfV * AfT * N * 2) X = Chi-Sq statistical upper limit N = Life test sample size Failure Rates are reported in FITs (Failures in Time) or MTTF (Mean Time To Failure). The FIT rate is related to MTTF by:

MTTF = 1/Fr

NOTE: MTTF is frequently used interchangeably with MTBF.

The calculated failure rate for this device/process is:

| FAILURE RATE: | MTTF (YRS): | 51730 | FITS: | 2.2 | | | |
|--|-----------------------|-----------|--------|-----|--|--|--|
| | DEVICE HOURS : | 916418895 | FAILS: | 1 | | | |
| Only data from Operating Life or similar stresses are used for this calculation. | | | | | | | |

The parameters used to calculate this failure rate are as follows:

| Cf: 60% | Ea: 0.7 | B: 0 | Tu: 25 °C | Vu: 5.5 Volts |
|---------|---------|------|-----------|---------------|
|---------|---------|------|-----------|---------------|

The reliability data follows. At the start of this data is the device information. The next section is the detailed reliability data for each stress. The reliability data section includes the latest data available and may contain some generic data. **Bold** Product Number denotes specific product data.

| Device I | nformation: |
|----------|-------------|
|----------|-------------|

| Process: | SA E6W, 0.6um BiCMOS, 2 Poly, 2 Metal, EEPROM, 8 inch wafer |
|------------------------|---|
| Passivation: | TEOS Oxide-Nitride Passivation |
| Die Size: | 78 x 54 |
| Number of Transistors: | 8503 |
| Interconnect: | Aluminum / 0.5% Copper |
| Gate Oxide Thickness: | 150 Å |

ELECTRICAL CHARACTERIZATION

| DESCRIPTION | DATE CODE/PRODUCT/LOT | | CONDITION | READPOIN | | QTY | FAILS | FA# | |
|-----------------|-----------------------|---------|-----------|--------------------------------|-------|-------|-------|-----|--|
| ESD SENSITIVITY | 0539 | DS1820B | QH603640A | EOS/ESD S5.1 HBM 500 VOLTS | 1 | PUL'S | 3 | 0 | |
| ESD SENSITIVITY | 0539 | DS1820B | QH603640A | EOS/ESD S5.1 HBM 1000 VOLTS | 1 | PUL'S | 3 | 0 | |
| ESD SENSITIVITY | 0539 | DS1820B | QH603640A | EOS/ESD S5.1 HBM 2000 VOLTS | 1 | PUL'S | 3 | 0 | |
| ESD SENSITIVITY | 0539 | DS1820B | QH603640A | EOS/ESD S5.1 HBM 3000 VOLTS | 1 | PUL'S | 3 | 0 | |
| ESD SENSITIVITY | 0539 | DS1820B | QH603640A | EOS/ESD S5.1 HBM 4000 VOLTS | 1 | PUL'S | 3 | 0 | |
| LATCH-UP | 0539 | DS1820B | QH603640A | JESD78, I-TEST 125C | | | 6 | 0 | |
| LATCH-UP | 0539 | DS1820B | QH603640A | JESD78, V-SUPPLY TEST 125C | | | 6 | 0 | |
| | | | | | Total | 1 | | 0 | |
| OPERATING LIFE | | | | | | | | | |
| | | | | | | | | | |

| DESCRIPTION | DATE CODE/PRODUCT | /LOT CONDITION | READPOIN | QTY FAILS | FA# |
|-------------------|-------------------|----------------------------|----------|-----------|-----|
| HIGH TEMP OP LIFE | 0720 DS1851 | QK707606BB 125C, 5.5 VOLTS | 192 HRS | 77 0 | |

| HIGH TEMP OP LIFE | 0948 | DS1856 | WM049367A 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 1 40023508 |
|-------------------|------|-------------|------------------|-------------|--------|-----|----|------------|
| HIGH TEMP OP LIFE | 1021 | DS1804 | WD049849A 125C | , 5.5 VOLTS | 192 | HRS | 45 | 0 |
| HIGH TEMP OP LIFE | 1035 | DS18S20 | FJ157931AB 125C | , 5.5 VOLTS | 1000 | HRS | 80 | 0 |
| HIGH TEMP OP LIFE | 1050 | DS1856 | WM158219A 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1050 | DS1856 | WM158219A 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1052 | DS1856 | FJ162135DB 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1052 | DS1856 | FJ162135DB 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1052 | DS1856 | FJ162076CC 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1052 | DS1856 | FJ162076CC 125C | , 5.5 VOLTS | 1000 | HRS | 77 | 0 |
| HIGH TEMP OP LIFE | 1103 | DS18S20 | FD162367AC 125C | , 5.5 VOLTS | 1000 | HRS | 80 | 0 |
| HIGH TEMP OP LIFE | 1113 | DS18S20 | FD166067AB 125C | , 5.5 VOLTS | 1000 | HRS | 80 | 0 |
| HIGH TEMP OP LIFE | 1113 | DS3911 | ZJ167332AB- 125C | , 5.5 VOLTS | 192 | HRS | 48 | 0 |
| HIGH TEMP OP LIFE | 1128 | DS18S20 | FH167920AB 125C | , 5.5 VOLTS | 1000 | HRS | 80 | 0 |
| HIGH TEMP OP LIFE | 1138 | DS18S20 | FD271756AB 125C | , 5.5 VOLTS | 1000 | HRS | 80 | 0 |
| | | | | | Total: | | | 1 |
| FAILURE RATE: | | MTTF (YRS) |): 51730 | FITS: | 2.2 | | | |
| | D | EVICE HOURS | 6: 916418895 | FAILS: | 1 | | | |