

# PRODUCT RELIABILITY REPORT FOR

MAXQ3180, Rev A7

**Maxim Integrated** 

14460 Maxim Dr. Dallas, TX 75244

Approved by:

Don Lipps Manager, Reliability Engineering

#### Conclusion:

The following qualification successfully meets the quality and reliability standards required of all Maxim Integrated products:

In addition, Maxim Integrated's continuous reliability monitor program ensures that all outgoing product will continue to meet Maxim's quality and reliability standards. The current status of the reliability monitor program can be viewed at http://www.maximintegrated.com/ga/reliability/monitor.

### **Device Description:**

A description of this device can be found in the product data sheet. You can find the product data sheet at http://www.maximintegrated.com/search/parts.mvp.

## **Reliability Derating:**

The Arrhenius model will be used to determine the acceleration factor for failure mechanisms that are temperature accelerated.

```
AfT = exp((Ea/k)*(1/Tu - 1/Ts)) = tu/ts
AfT = Acceleration factor due to Temperature
tu = Time at use temperature (e.g. 55°C)
ts = Time at stress temperature (e.g. 125°C)
k = Boltzmann's Constant (8.617 x 10-5 eV/°K)
Tu = Temperature at Use (°K)
Ts = Temperature at Stress (°K)
Ea = Activation Energy (e.g. 0.7 ev)
```

The activation energy of the failure mechanism is derived from either internal studies or industry accepted standards, or activation energy of 0.7ev will be used whenever actual failure mechanisms or their activation energies are unknown. All deratings will be done from the stress ambient temperature to the use ambient temperature.

An exponential model will be used to determine the acceleration factor for failure mechanisms, which are voltage accelerated.

```
AfV = exp(B*(Vs - Vu))

AfV = Acceleration factor due to Voltage

Vs = Stress Voltage (e.g. 7.0 volts)

Vu = Maximum Operating Voltage (e.g. 5.5 volts)

B = Constant related to failure mechanism type (e.g. 1.0, 2.4, 2.7, etc.)
```

The Constant, B, related to the failure mechanism is derived from either internal studies or industry accepted standards, or a B of 1.0 will be used whenever actual failure mechanisms or their B are unknown. All deratings will be done from the stress voltage to the maximum operating voltage. Failure rate data from the operating life test is reported using a Chi-Squared statistical model at the 60% or 90% confidence level (Cf).

The failure rate, Fr, is related to the acceleration during life test by:

```
Fr = X/(ts * AfV * AfT * N * 2)
X = Chi-Sq statistical upper limit
N = Life test sample size
```

Failure Rates are reported in FITs (Failures in Time) or MTTF (Mean Time To Failure). The FIT rate is related to MTTF by:

MTTF = 1/Fr

NOTE: MTTF is frequently used interchangeably with MTBF.

The calculated failure rate for this device/process is:

FAILURE RATE: MTTF (YRS): 53371 FITS: 2.1

**DEVICE HOURS: 428392274 FAILS: 0** 

Only data from Operating Life or similar stresses are used for this calculation.

The parameters used to calculate this failure rate are as follows:

Cf: 60% Ea: 0.7 B: 0 Tu: 25 °C Vu: 3.6 Volts

The reliability data follows. At the start of this data is the device information. The next section is the detailed reliability data for each stress. The reliability data section includes the latest data available and may contain some generic data. **Bold** Product Number denotes specific product data.

#### **Device Information:**

Process: Maxim SA Fab S45

Passivation: SiN/SiO2
Die Size: 99 x 216
Number of Transistors: 283448

Interconnect: Aluminum / 0.5% Copper

Gate Oxide Thickness: 140Å

ELECTRICAL CHARACTERIZATION										
DESCRIPTION	DATE	CODE/PRODU	CT/LOT	CONDITION	RE.	ADPOIN	QTY	FAILS	FA#	
ESD SENSITIVITY	0749	MAXQ3180	QK774000A	A EOS/ESD S5.1 HBM 500 VOLTS	1	PUL'S	3	0		
ESD SENSITIVITY	0749	MAXQ3180	QK774000A	A EOS/ESD S5.1 HBM 1000 VOLTS	0 1	PUL'S	3	0		
ESD SENSITIVITY	0749	MAXQ3180	QK774000A	A EOS/ESD S5.1 HBM 2000 VOLTS	0 1	PUL'S	3	0		
ESD SENSITIVITY	0749	MAXQ3180	QK774000A	A EOS/ESD S5.1 HBM 4000 VOLTS	0 1	PUL'S	3	0		
ESD SENSITIVITY	0749	MAXQ3180	QK774000A	A EOS/ESD S5.1 HBM 8000 VOLTS	0 1	PUL'S	3	1	No FA	
LATCH-UP	0749	MAXQ3180	QK774000A	A JESD78, I-TEST 85C			6	0		
LATCH-UP	0749	MAXQ3180	QK774000A	A JESD78, V-SUPPLY TEST 125C			6	0		
					Tota	al:		1		
OPERATING LIFE										

OF ENATING LIFE										
	DESCRIPTION	DATE CODE/PRODUCT/LOT		CONDITION	READPOIN		QTY FAILS F		FA#	
	HIGH TEMP OP LIFE	0702	MAX6618	QD770500A	125C, 3.6V (PSA) & 1.1V (PSB)	1000	HRS	45	0	

HIGH TEMP OP LIFE	0708	DS2731	XK664400AD	125C, (PSB)	4.9V (PSA) & 13.2V	1000	HRS	45	0
HIGH TEMP OP LIFE	0737	MAX8688	SZ60FQ002A	125C,	3.6 VOLTS	1000	HRS	45	0
HIGH TEMP OP LIFE	0749	MAXQ3180	QK774000AA	125C,	3.6 VOLTS	1000	HRS	44	0
HIGH TEMP OP LIFE	0812	DS8102	QJ880400AB	125C,	3.6 VOLTS	1000	HRS	45	0
HIGH TEMP OP LIFE	0816	DS4560	QD836692A	100C, (PSA)	13.2V (PSB) & 5.5V	1000	HRS	45	0
HIGH TEMP OP LIFE	0819	DS2733	XJ881600BB	125C, 3.5V (	13.31V (PSB) & PSA)	1000	HRS	45	0
HIGH TEMP OP LIFE	0835	DS8500	QJ982700AB	125C,	3.6 VOLTS	1000	HRS	45	0
HIGH TEMP OP LIFE	0928	DV24	FE9710863-0		3.6V (PSA), -25V & 25V (PSD)	1000	HRS	45	0
HIGH TEMP OP LIFE	0943	MAX31190	WJ051035AB	125C,	3.6 VOLTS	192	HRS	45	0
HIGH TEMP OP LIFE	0950	MAX8990	EYGZCA004		5.0 V(PSA), (PSB) & -3.3V(PSC)	192	HRS	45	0
HIGH TEMP OP LIFE	1018	DS4560	WD054757A	100C, (PSA)	13.2V (PSB) & 5.5V	192	HRS	45	0
HIGH TEMP OP LIFE	1035	MAX34561	WS154453B	125C, (PSA)	13.2V (PSB) & 5.5V	192	HRS	45	0
HIGH TEMP OP LIFE	1105	DS3920	ZJ163071AB	135C,	75V (V8)	192	HRS	77	0
HIGH TEMP OP LIFE	1113	MAX17710	ZJ156745BC	125C,	5.5 VOLTS	240	HRS	48	0
HIGH TEMP OP LIFE	1140	MAX34565	ZJ271249AA	125C, (PSB)	5.0V (PSA) & 13.2V	500	HRS	77	0
HIGH TEMP OP LIFE	1218	MAX31910	ZJ276928FA	135C,	36V (V8)	192	HRS	80	0
FAILURE RATE:		MTTF (YRS):	· 53 <sup>.</sup>	371	FITS:	Total: 2.1			0
. ALONE MAIL	וח	EVICE HOURS		_	FAILS:	0			
	וט	EVICE HOURS	. 420392	<i>4</i>	FAILS.	U			