



Product/Process Change Notice - PCN 21_0007 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

PCN Title: Moisture Sensitivity Level Rating Downgrade for LTM4604, LTM4604A to MSL4

Publication Date: 08-Feb-2021

Effectivity Date: 08-Feb-2021 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change:

Moisture Sensitivity Level (MSL) rating is being changed from MSL-3 to MSL-4 for LTM4604 and LTM4604A.

Reason For Change:

The MSL rating is being changed due to package interaction.

Impact of the change (positive or negative) on fit, form, function & reliability:

The change does not affect fit, form, function or reliability of the products.

Product Identification *(this section will describe how to identify the changed material)*

All parts shipped after February 11, 2021.

Summary of Supporting Information:

N/A

Supporting Documents None

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:

PCN_Americas@analog.com

Europe:

PCN_Europe@analog.com

Japan:

PCN_Japan@analog.com

Rest of Asia:

PCN_ROA@analog.com

Appendix A - Affected ADI Models**Added Parts On This Revision - Product Family / Model Number (8)**

LTM4604 / LTM4604EV#PBF	LTM4604 / LTM4604IV#PBF	LTM4604A / LTM4604AEV#2HFPBF	LTM4604A / LTM4604AEV#PBF	LTM4604A / LTM4604AEY#PBF
LTM4604A / LTM4604IV#PBF	LTM4604A / LTM4604IY	LTM4604A / LTM4604IY#PBF		

Appendix B - Revision History			
Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	08-Feb-2021	08-Feb-2021	Initial Release

Analog Devices, Inc.

DocId:8406 Parent DocId:8264 Layout Rev:7