



Product/Process Change Notice - PCN 10_0056 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: AD7441 Datasheet Specification Change
Publication Date: 10-Mar-2010
Effectivity Date: 10-Mar-2010 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change

Change in the Normal mode Idd operationsl datasheet specification for the AD7441,over 2.7V to 3.6V voltage range, from 1.25mA to 1.45mA

Reason For Change

Updating datasheet to accurately reflect device capabilities. There is no change to the product design.

Impact of the change (positive or negative) on fit, form, function & reliability

There is no change in the product design or operation of the device therefore there will be no impact on the fit, form, function and reliability of the device.

Summary of Supporting Information

These changes will be reflected in Rev D of the AD7441 datasheet.

Supporting Documents None

For questions on this PCN, send email to the regional contacts below or contact your local ADI sales representative

Americas: PCN_Americas@analog.com

Europe: PCN_Europe@analog.com

Japan: PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models				
Added Parts On This Revision - Product Family / Model Number (5)				
AD7441 / AD7441BRM	AD7441 / AD7441BRM-REEL7	AD7441 / AD7441BRMZ	AD7441 / AD7441BRTZ-R2	AD7441 / AD7441BRTZ-REEL7

Appendix B - Revision History		
Rev	Publish Date	Rev Description
Rev. -	10-Mar-2010	Initial Release