PCN # 2097 DATE: November 2, 2020

EXPECTED PCN SHIP DATE: November 2, 2020



Quality Assurance 160 Rio Robles San Jose, CA 95134

www.maximintegrated.com

## PROCESS CHANGE NOTICE X PRODUCT CHANGE NOTICE

## MAXIM INTEGRATED HEREBY ISSUES NOTIFICATION OF CHANGE THAT MAY AFFECT THE FOLLOWING CATEGORIES:

DESIGN WAFER FAB	ASSEMBLY	TEST	X ELEC/MECH SPECS	
AFFECTED PRODUCT:				
Ordering P/N: (See PN listing XLS in PCN ZIP file)				
CHANGE FROM: - Datasheet Correction for MAX20067		CHANGE TO: -		
Existing Datasheet revision: 19-100112; Rev 0; 7/17		New Datasheet revision: 19-100112; Rev 1; 11/20		
Absolute Maximum Ratings:		Absolute Maximum Ratings:		
VGON, SRC, DRN, to GND: -0.3V to +38V		VGON, SRC, DRN, to GND: -0.3V to +30V		
DRN to GATES: -38V to +38V	DRN to G	ATES:	-30V to +30V	
EC table limits:	EC table 1	imits:		
VGON Output Voltage range: 36V (max)	VGON O	utput Voltage range:	28V (max)	
SRC Input Voltage Range: 36V (max)	SRC Inpu	t Voltage Range:	28V (max)	
JUSTIFICATION: Abs max ratings have been corrected to reflect the design rules and limits for this device.				
There are no other changes to the Form, Fit or function of these devices.				
See the attached datasheet markup file.				
Note: This PCN is an Information Notice only and is effective immediately				

TRACEABILITY: Maxim Integrated maintains full traceability by device marking, packaging labels and shipment documents.

Maxim Integrated's Change Notification System is designed to keep our customer base apprised of major product, manufacturing, or facility improvements.

## Nasser Ali Chaouche

Nasser AliChaouche / PCN Coordinator

For further information, please contact either of the people listed below.

Contact your local Maxim Integrated Company Representative

or

Nasser AliChaouche, PCN Coordinator 408-601-5660 / pcn.coordinator@maximintegrated.com